KIRKLAND MUNICIPAL COURT

#### CERTIFICATE CONCERNING DESIGN AND CONSTRUCTION OF ELECTRONIC SPEED MEASURING DEVICES

I, Patricia Hernandez, do certify under penalty of the laws of the State of Washington that the following is true and correct:

I have been employed as a technician by American Traffic Solutions for 1 year. I became a speed validation technician on January 12, 2023 and have over 100 hours performing speed validation tests. I am nationally certified as a RADAR and LIDAR operator. The City of Kirkland currently uses the AutoPatrol<sup>TM</sup> 3D radar fixed speed safety camera system, an electronic speed measuring device provided through a contract with American Traffic Solutions, Inc. ("ATS"). Part of my duties include monitoring regular testing of the AutoPatrol 3D radar fixed speed safety camera systems used by the City of Kirkland.

ATS contracted with the City of Kirkland to provide an Automated Speed Enforcement ("ASE") system designed to record the speed of a vehicle and obtain photographs or other recorded images of the vehicle and the vehicle's registration plate while the vehicle is traveling in excess of speed limits in certain safety zones within posted limits.

The ASE program includes the use of the AutoPatrol 3D radar fixed speed safety camera systems at the following locations within the City of Kirkland:

Location Code	Location Description	Lanes Monitored
KRKF001	NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1
KRKF002	SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1
KRKF003	EB 80TH ST @ ROSE HILL ELEMENTARY	1
KRKF004	WB 80TH ST @ ROSE HILL ELEMENTARY	1
KRKF005	SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL	1
KRKF006	WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL	1
KRKF007	NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	1
KRKF008	SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	1

The AutoPatrol 3D radar fixed speed safety camera system operates by measuring vehicle speed, as well as position relative to the radar to calculate and differentiate multiple vehicles in the radar beam. The speed of a moving vehicle is measured by Doppler radar. Doppler radar is a generally accepted technology used for measuring speed. The AutoPatrol 3D radar technology is used throughout the US and Europe as well as other countries and is approved by the Swiss national metrology institute- METAS.

The AutoPatrol 3D radar fixed speed safety camera system uses a tracking radar sensor for measuring vehicle speeds and detecting speed violations. The AutoPatrol 3D radar is aligned at a fixed angle across the road. The AutoPatrol 3D radar emits a horizontal beam over the road surface as represented by the illustration below. The tracking radar can simultaneously detect multiple vehicles and measure their speed, distance, angle and movement within the radar beam. The radar tracks multiple vehicles by reconstructing vehicle movement from

the measured object speed, angle and distance values. If a vehicle passes a defined trigger line, the radar outputs the vehicle's speed and lane information. The camera connected to the tracking radar uses this information to determine if there is a speed violation and to capture photographs showing the measured speed and lane on the databar of the captured images.



The tracking radar utilizes the Doppler Effect for speed determination. If an electromagnetic wave is emitted at a moving object, then the wave is reflected back from the moving object. The frequency of the wave received back by the radar shifts based on the speed of the moving object and its direction of travel. The tracking radar continuously determines this frequency shift of each object to calculate the object's speed. The tracking radar consists of two receiving antennas integrated into a single radar sensor. This configuration allows the radar to measure the distance and angle of the vehicle relative to the position of the radar sensor. Illustration A and B show the measurement principle in simplified form. The radar sensor emits a radar beam (illustration A). The radar sensor evaluates the return frequency, as well as the phase difference of the reflected radar beam from both of the receivers. With the aid of these values the radar sensor calculates the vehicle position.



Prior to operation each day, the system performs a system self-test. This self-test performs an electronic tuning fork test to produce a specific frequency and returns an associated speed value. Only if the return value meets the acceptance criteria to show that the system is operating correctly will the system enter measure mode. Unless a self-test is successful, the system will not enter measure mode and no violations will be captured. Additional information stored as metadata within each image includes coordinates of the vehicle position at the time of capture. This information is extracted and utilized through a secondary speed verification process to provide yet another means to validate offender speed and position based on the two images obtained and image analytics. In addition to the internal system checks and the manufacturer calibration certification, the 3D radar system is subject to routine and independent calibration check of the speeds produced by the system at least annually by a qualified technician.

Each day the computer which controls the fixed speed safety camera system is rebooted. The reboot is initiated each day and each time the computer is rebooted an internal check is performed on all operations of each fixed speed safety camera system, including the clocks, sensors, camera and speed calculating hardware and software, in order to verify that all operations are functioning correctly. When the internal check detects a problem with one of the operations on a given fixed speed safety camera system, then that particular fixed speed safety camera system is inactivated and a request for service is relayed to ATS support personnel. This means that violations cannot be issued until any internal problem is fixed.

Speed validation tests are regularly performed on each installed and operable AutoPatrol 3D radar fixed speed safety camera system. The test is conducted by having a LIDAR Operator obtain true measurements of up to five vehicles per lane in the ascending and/or descending direction. The speed of the vehicle is captured by the LIDAR Operator and then relayed via cellular to an ATS Technician. The ATS Technician then compares the vehicle speed measured by the AutoPatrol 3D radar fixed speed safety camera system to the speed measured by the LIDAR Operator to ensure the accuracy of the AutoPatrol 3D radar fixed speed safety camera system. ATS maintains the results of each test in a Validation Report. The speed validation for each system was performed on the following date and the systems at each location were found to be in proper working order:

Location	Location Description				
Code					
KRKF001	NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	5/16/2024			
KRKF002	SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	5/2/2024			
KRKF003	EB 80TH ST @ ROSE HILL ELEMENTARY	5/16/2024			
KRKF004	WB 80TH ST @ ROSE HILL ELEMENTARY	5/16/2024			
KRKF005	SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL	5/15/2024			
KRKF006	WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL	5/16/2024			
KRKF007	NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	5/15/2024			
KRKF008	SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	5/15/2024			

Preventative maintenance, including visual inspections, is regularly performed on the AutoPatrol 3D radar fixed speed safety camera systems. Preventative maintenance activities include: cleaning of the cameras and housing, general site inspection of environment and road conditions, inspection of poles, bases and enclosures, and inspection of system cables and connections. The location and date that preventative maintenance is performed is recorded in the Preventative Maintenance Log, which along with the Validation Report(s) referenced above, is attached hereto.

I am a custodian, or otherwise qualified witness, as to the attached records. I make this declaration based on personal knowledge, and if called and sworn as a witness, I could and would testify as set forth in the following paragraph.

Attached as Exhibits are: Exhibit A - Speed Validation Reports, Exhibit B - Preventative Maintenance Logs, and Exhibit C - Annual System Verification Certificate for all AutoPatrol 3D radar fixed speed safety camera systems installed and used by the City of Kirkland. All documents and materials included as Exhibit A, Exhibit B and Exhibit C are authentic and are what they purport to be, and accurately describe the matters set forth therein. All such records are business records in that they are: (1) records kept in the ordinary course of business; (2) created at or near the time of the transactions or events reflected therein by, or based on

information from, a person with knowledge of the transaction or events; and (3) kept as part of a regular business activity.

Based upon my education, training, experience, and knowledge of the AutoPatrol 3D radar fixed speed safety camera system, it is my opinion that the system is so designed and constructed as to accurately employ measurement techniques based on a division of distance over time in such a manner that it will give accurate measurements of the speed of motor vehicles.

I, Patricia Hernandez, certify (or declare) under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct.

Dated this 6th day of June 2024 in Mesa, AZ

Patricia Hernandez

Patricia Hernandez, Speed Validation Technician



### Speed Validation Report Client: Kirkland, WA

### Validation Date: May 2, 2024

KRKF002 – SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE
 Radar Serial Number: 590-113/61397

### Validation Date: May 15, 2024

- KRKF005 SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL
   Radar Serial Number: 590-113/65925
- KRKF007 NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES
   Radar Serial Number: 590-113/67020
- KRKF008 SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES
  - o Radar Serial Number: 590-113/68181

### Validation Date: May 16, 2024

- KRKF001 NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE
   Radar Serial Number: 590-112/61693
- KRKF003 EB 80TH ST @ ROSE HILL ELEMENTARY
  - o Radar Serial Number: 590-113/64176
- KRKF004 WB 80TH ST @ ROSE HILL ELEMENTARY
  - o Radar Serial Number: 590-112/62298
- KRKF006 WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL
  - o Radar Serial Number: 590-113/65963

### Equipment:

Pro-Lite Plus Hand held Lidar Serial Number: LP05509 Certification Date: October 27, 2023 Lidar Operator: Charles Goodrich RLC Operator: Catherine Koselka-Thompson RLC Operator: Patricia Hernandez

> THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44

FILED

KIRKLAND MUNICIPAL COURT



A speed validation test was conducted for the sites listed above. The Lidar Operator, obtained true measurements of five vehicles per lane in the ascending and/or descending direction. Those speeds were obtained using a Kustom Signals Pro-Lite+ hand held Lidar instrument. The speed of the vehicle is captured by the Lidar Operator and then relayed via cellular to the RLC Technician. The RLC Technician is monitoring the vehicle speed at the Fixed Speed Camera system simultaneously to ensure the accuracy of the system. The speed validation tests performed on the above-listed dates confirmed the accuracy of the Fixed Speed Camera systems at each location.

I, Patricia Hernandez, certify that the information contained in this report is true and accurate.

Patricia Hernandez Signed:

Date: June 6, 2024 Mesa, Arizona American Traffic Solutions Speed Integrity Team



Certificate of Ad	chievement				
Speed Integrity A Has successfully completed the 16 ho Speed Integrity Technicia	Technician our course for an				
This course encompasses all the necessary tasks required to perform the duties as a Speed Integrity Technician. Through this course each participant is required to display the proper competency through written and practical examinations. In addition, this course certifies each participants as a Lidar operator.					
Presented to: Charles Goodrich					
This Day: March 29, 2016	+ M				
VICL/2 Certificate of Activityment V1.0 American Traffic Solutions, Inc., 7481 East Gray Ro	Matthew Gioia Police Traffic Lasser/Radar Instructor as: Scottedaw, AZ 85260. Continues # R01.0-0013-Cr4-01				

Certificate of Achievement
Speed Integrity Technician Has successfully completed the course for Speed Integrity Technician
This course encompasses all the necessary tasks required to perform the duties as a Speed Integrity Technician. Through this course each participant is required to display the proper competencies in Radar and Laser Technology. In addition, this course certifies each participants as a Radar and Lidar operator.
Catherine Koselka
This Day: August 21st, 2019
American Traffic Solutions" Tylor Yochim Radar Instructor



Certificate of Ac	chievement
Speed Integrity Te	echnician
Has successfully completed the course for S	speed Inegrity Technician
This course encompasses all the necessary tasks required to perform Through this course each participant is required to display the prop Technology. In addition, this course certifies each participants as a	orm the duties as a Speed Integrity Technician. er competencies in Radar and Laser Lidar operator.
Presented to: Patricia Hernandez	
This Day: January 12, 2023	
American Traffic Solutions	Tyler Yochim Radar Instructor
RDLD Certificate of Achievement V1.0 American Traffic Solutions, Inc., 7681 East Gray Road	1, Scottsdale, AZ 65260 Certificate # VCC-1022-AZ-07



		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
248 5	PB Electronics W Peaceful Ct., Shepherd 502 543-7032 www.pbeles	Inc. sville, KY 40165 ctronics.com
Factory Authorized Ca	alibration Center for Stalke	, MPH, Kustom, Decatur and LTI
	Certificate of Calil	oration
Manufacturer: Kustom	Model: Pro-Lite	Serial Number: LP05509
peration under my supervision	1 This Speed Magguring Dou	ce is certified accurately within +/, 0.6 mpt
peration under my supervision stationary mode using equip he laser transmitter of this der evices as established by the l	<ol> <li>This Speed Measuring Devi ment traceable to National Inst vice has been tested and foun Federal Communications Com</li> <li>2552 Technology Sign</li> </ol>	ce is certified accurately within +/- 0.5 mpt itute of Standards and technology. I to be within specified range for Laser mission and IACP.
peration under my supervision stationary mode using equip he laser transmitter of this der evices as established by the l CC License number PG-18-1; Factory Authorized Service Boster	n. This Speed Measuring Devi ment traceable to National Insi vice has been tested and foun Federal Communications Com 2552 Technician Sigi	ce is certified accurately within +/- 0.5 mpt itute of Standards and technology. It to be within specified range for Laser mission and IACP nature
Tuning	n. This Speed Measuring Devi ment traceable to National Insi vice has been tested and foun Federal Communications Com 2552 Technician Sigi Forks Serial Numbers: a/a	ce is certified accurately within +/- 0.5 mpl itute of Standards and technology. I to be within specified range for Laser mission and IACP hature Date: October 27, 2023



VERRA MOBILITY
SELF-ACCURACY TEST Kustom Signals Pro-Lite+ Lidar Speed Measurement Tool
DATE: May 2, 2024
Start of shift "Self-Diagnostic test" time: 10:46 AM
Start of shift Distance check:100'lidar
End of shift "Self-Diagnostic test" time:10:57 AM
End of shift Distance check:100'
City and State:Kirkland, WA
Lidar Serial Number:LP05509
Certification Date:October 27 <sup>th</sup> , 2023
OPERATOR:Charles Goodrich
I, <i>Charles Goodrich</i> , certify that the Kustom Signals Pro-Lite+ Lidar speed measurement device was setup, tested, and operated in accordance with the manufactures specifications to include its self- diagnostic check.
Further, I certified that the self-check distance was completed and accurate.
Signature: Change May 2, 2024





### SELF-ACCURACY TEST Kustom Signals Pro-Lite+ Lidar Speed Measurement Tool

DATE: \_\_\_\_\_ May 15, 2024\_\_\_\_\_

Start of shift "Self-Diagnostic test" time: \_\_\_\_\_ 9:46 AM\_\_\_\_\_

Start of shift Distance check: \_\_\_\_\_100'\_\_\_\_\_lidar

End of shift "Self-Diagnostic test" time: \_\_\_\_\_ 11:12 AM\_\_\_\_\_

End of shift Distance check: 100'

City and State: Kirkland, WA

Lidar Serial Number: LP05509\_\_\_\_\_

Certification Date: \_\_\_\_\_October 27th, 2023\_\_\_\_\_

OPERATOR: Charles Goodrich

I, *Charles Goodrich*, certify that the Kustom Signals Pro-Lite+ Lidar speed measurement device was setup, tested, and operated in accordance with the manufactures specifications to include its self-diagnostic check.

Further, I certified that the self-check distance was completed and accurate.

Signature: Com M Date: May 15, 2024



VERRA MOBILITY						
SELF-ACCURACY TEST Kustom Signals Pro-Lite+ Lidar Speed Measurement Tool						
DATE: May 16, 2024						
Start of shift "Self-Diagnostic test" time: 10:06 AM						
Start of shift Distance check:100'lidar						
End of shift "Self-Diagnostic test" time: 10:44 AM						
End of shift Distance check:100'						
City and State:Kirkland, WA						
Lidar Serial Number:LP05509						
Certification Date:October 27 <sup>th</sup> , 2023						
OPERATOR:Charles Goodrich						
I, <i>Charles Goodrich</i> , certify that the Kustom Signals Pro-Lite+ Lidar speed measurement device was setup, tested, and operated in accordance with the manufactures specifications to include its self- diagnostic check.						
Further, I certified that the self-check distance was completed and accurate.						
Signature: Com May 16, 2024						





Date			5/16/2024		
Time			10:37 AM		
Site ID			KRKF001		
Location			Kirkland, WA		
			NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN		
Address			MIDDLE		
Posted Speed	d Limit			20MP	Ч
<b>Trigger Spee</b>	d Limit	14 A A A A A A A A A A A A A A A A A A A		26MP	ΥH
Speed Type				Scho	ol
Lidar Technic	cian			Charles Go	odrich
AutoPatrol Te	echnician		Catherine Thompson		
Lidar Serial Number			LP05509		
Radar Serial Number			590-112/61693		
Detection Type			Autopatrol-Radar		
Measure Mod	le Capture			Yes	
Photo enforc	ement signs	present		Yes	
Pass/ Fail			Pass		
Ascending of	Descending	g	Descending		
City Lane	Times	Lidar Speeds	AP Speeds Delta Comments		
1	10.37.41	24	24	0	
1	10.38.25	23	24	1	
1	10.38.40	36	36	0	
1	10.38.57	34	35 1		
1	1 10.39.05 31			0	





Date			5/2/2024			
Time			10:51 AM			
Site ID			KRKF002			
Location			Kirkland, WA			
			SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN			
Address			MIDDLE			
Posted Speed Limit			20MPH			
<b>Trigger Spee</b>	d Limit			26M	РН	
Speed Type	1. 19 18			Sch	ool	
Lidar Technic	cian			Charles G	oodrich	
AutoPatrol Technician			Patricia Hernandez			
Lidar Serial N	umber		LP05509			
Radar Serial Number				590-113	/61397	
Detection Type				Autopatro	ol-Radar	
Measure Mod	Measure Mode Capture			Ye	S	
Photo enforcement signs present Yes			S			
Pass/ Fail			Pass			
Ascending of	Descending	g	Descending			
City Lane	Times	Lidar Speeds	AP Speeds Delta Comments			
1	10.51.13	24	24	0		
1	10.51.16	25	25	0		
1	10.52.03	19	20 1			
1	10.52.11	27	28 1			
1	10.52.45	24	23 -1			





Date			5/16/2024			
Time			10:21 AM			
Site ID			KRKF003			
Location			Kirkland, WA			
Address	La Carlos		EB 80TH ST @ ROSE HILL ELEMENTARY			
Posted Spee	d Limit		20MPH			
Trigger Spee	d Limit			26MI	РН	
Speed Type				Scho	ool	
Lidar Technic	cian			Charles G	oodrich	
AutoPatrol Te	echnician		C	atherine T	hompson	
Lidar Serial N	lumber		LP05509			
Radar Serial Number			590-113/64176			
Detection Type				Autopatro	ol-Radar	
Measure Mod	Measure Mode Capture			Ye	S	
Photo enforcement signs present			Yes			
Pass/ Fail			Pass			
Ascending of	r Descendin	g	Descending			
City Lane	Times	Lidar Speeds	AP Speeds Delta Comments			
1	10.21.36	30	31	1		
1	10.21.56	32	32	0		
1	10.23.05	28	27 -1			
1	10.23.07	26	26 0			
1 10.23.36 35			35	0		





Date			5/16/2024			
Time			10:24 AM			
Site ID			KRKF004			
Location			Kirkland, WA			
Address			WB 80TH ST @ ROSE HILL ELEMENTARY			
Posted Speed	d Limit		20MPH			
Trigger Spee	d Limit			26MP	Н	
Speed Type				Scho	ol	
Lidar Technic	ian			Charles Go	odrich	
AutoPatrol Te	chnician		C	atherine Th	ompson	
Lidar Serial N	umber	And the	LP05509			
Radar Serial Number			590-112/62298			
Detection Type				Autopatrol	-Radar	
Measure Mod	e Capture		Yes			
Photo enforc	ement signs	present		Yes		
Pass/ Fail			Pass			
Ascending or	Descending	g	Descending			
City Lane	Times	Lidar Speeds	AP Speeds Delta Comments			
1	10.24.29	32	33	1		
1	10.26.54	34	33	-1		
1	10.28.18	26	27 1			
1	10.28.32	26	27 1			
1 10.28.48 19		19	0			





		the second division of						
Date			5/15/2024					
Time				11:05	AM			
Site ID				KRK	-005			
Location				Kirklan	d, WA			
			SB 724 STATE ST @ LAKEVIEW ELEMENTARY					
Address			SCHOOL					
Posted Spee	d Limit	1000		20M	РН			
Trigger Spee	d Limit			26M	РН			
Speed Type				Sch	ool			
Lidar Technic	cian		Charles Goodrich					
AutoPatrol Technician			Catherine Thompson					
Lidar Serial Number			LP05509					
Radar Serial Number			590-113/65925					
Detection Type			Autopatrol-Radar					
Measure Mode Capture				Ye	S			
Photo enforcement signs present				Ye	S			
Pass/ Fail				Pas	SS			
Ascending or Descending			Descending					
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments			
1	11.05.49	31	31	0				
1	11.06.07	32	31 -1					
1	11.06.18	24	23 -1					
1	11.06.22	31	30	-1				
1	11.07.03	30	30	0				





the second se		the second se					
Date				5/16/2	2024		
Time			10:11 AM				
Site ID		12.2012.46	KRKF006				
Location				Kirklan	d, WA		
			WB 10600 NE 68	STH ST @ L	AKEVIEW ELEMENTARY		
Address			SUAD Distancianta kotar 5 Kara	SCHO	DOL		
Posted Spee	d Limit			20M	PH		
<b>Trigger Spee</b>	d Limit			26M	PH		
Speed Type				Sch	ool		
Lidar Technician			Charles Goodrich				
AutoPatrol Technician			Catherine Thompson				
Lidar Serial Number			LP05509				
Radar Serial Number				590-113	/65963		
Detection Type				Autopatro	ol-Radar		
Measure Mod	le Capture			Ye	s		
Photo enforcement signs present				Ye	S		
Pass/ Fail				Pas	SS		
Ascending or Descending			Descending				
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments		
1	10.11.13	15	15	0			
1	10.11.16	15	15	0			
1	10.11.19	16	16	0			
1	10.11.35	28	29	1			
1	10.12.16	32	31	-1			





Date				5/15/2	2024		
Time			9:51 AM				
Site ID			KRKF007				
Location			Kirkland, WA				
Address			NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES				
Posted Speed	d Limit			20M	PH		
Trigger Spee	d Limit			26M	PH		
Speed Type				Sch	ool		
Lidar Technic	cian		Charles Goodrich				
AutoPatrol Technician			Catherine Thompson				
Lidar Serial Number			LP05509				
Radar Serial Number			590-113/67020				
Detection Ty	pe			Autopatro	ol-Radar		
Measure Mod	le Capture			Ye	S		
Photo enforcement signs present				Ye	S		
Pass/ Fail				Pas	SS		
Ascending or Descending			Descending				
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments		
1	09.51.01	23	22	-1			
1	09.51.03	23	23	0			
1	09.51.14	26	26	0			
1	09.52.24	10	10	0			
1	09.54.12	23	23	0			





Date				5/15/2	2024		
Time			10:25 AM				
Site ID			KRKF008				
Location				Kirklan	d, WA		
Address			SB 14006 84TH AVE NE @ SANDBURG ES / FINN HI MS / THOREAU ES				
Posted Spee	d Limit		20MPH				
Trigger Spee	d Limit			26M	РН		
Speed Type	Sec. March			Sch	ool		
Lidar Technic	cian		Charles Goodrich				
AutoPatrol Technician			Catherine Thompson				
Lidar Serial Number			LP05509				
Radar Serial Number			590-113/68181				
Detection Ty	pe			Autopatro	ol-Radar		
Measure Mode Capture				Ye	s		
Photo enforcement signs present				Ye	s		
Pass/ Fail				Pas	SS		
Ascending of	Descending	g	Descending				
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments		
1	10.25.07	28	27	-1			
1	10.25.13	31	31	0			
1	10.26.15	35	34	-1			
1	10.26.40	20	21	1			
1	10.26.43	23	23	0			



Report No.: 1910-071EA-286

Revision:

N/C

### Radar Sensor Calibration Verification Certificate of Calibration

Model: RRS24F-ST3

Part Number / Serial Number: 590-113/67020 Ex. 590-XXX / 6XXXX

Description: Radar Characteristics Validation In compliance with: RRS24F-ST3 Radar Sensor Calibration Verification Procedure Documentation (5030-0150)

Date of Issue: February 14, 2024

Owner of EUT:

Verra Mobility 1150 N. Alma School Rd Mesa, AZ 85201

Attention of:

Engineering Department Phone: (480) 443-7000

Test Facility			
Test Laboratory	Keystone Compliance, LLC		
Address	131 North Columbus Innerbelt		
City, State, Zip Code	New Castle, PA 16101		
Phone	(724) 657-9940		
Email	emcteam@keystonecompliance.com		
Web Site	www.keystonecompliance.com		

	Test Personnel					
Name	Camren Morgan					
Title	EMC Test Engineer					
Signature	enn my					

CONTROLLED DATA Properietary and Confidential Page 15

> THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44

FILED

JUN 1 2 2024

#### KIRKLAND MUNICIPAL COURT



Report No.: 1910-071EA-286

Revision: N

N/C

### Radar Sensor Calibration Verification Certificate of Calibration

#### Model: RRS24F-ST3

### Part Number / Serial Number: 590-113/67020 Ex. 590-XXX / 6XXXX

Date of Issue: February 14, 2024

The frequency measurements performed and recorded within this report demonstrate that the JENOPTIK RR24F-ST3 radar has an accuracy of less than or equal to 0.62 mph in the range of 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph, as specified by the manufacturer.

FSK Frequency Set 1								
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results			
$f_0 = 24.08$	24.0786	16.9788307	-1.40	+/- 48.2	PASS			
f <sub>1</sub> = 24.08725	24.08575	17.3074414	-1.50	+/- 48.2	PASS			
$f_2 = 24.089$	24.087699	18.7960794	-1.30	+/- 48.2	PASS			
$f_3 = 24.09$	24.088674	19.170432	-1.33	+/- 48.2	PASS			

FSK Frequency Set 2								
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results			
$f_0 = 24.12$	24.118249	18.7482441	-1.75	+/- 48.2	PASS			
f <sub>1</sub> = 24.12725	24.125401	18.8768535	-1.85	+/- 48.2	PASS			
$f_2 = 24.129$	24.127025	20.2344865	-1.98	+/- 48.2	PASS			
f <sub>3</sub> = 24.13	24.128326	20.4718454	-1.67	+/- 48.2	PASS			

	FSK Frequency Set 3								
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results				
$f_0 = 24.16$	24.158876	18.5646386	-1.12	+/- 48.2	PASS				
f <sub>1</sub> = 24.16725	24.166025	19.1082447	-1.22	+/- 48.2	PASS				
$f_2 = 24.169$	24.167975	20.4968746	-1.03	+/- 48.2	PASS				
$f_3 = 24.17$	24.16895	20.723232	-1.05	+/- 48.2	PASS				

CONTROLLED DATA Properietary and Confidential Page 16



Report No.: 1910-071EA-286

Revision:

N/C

### Radar Sensor Calibration Verification Certificate of Calibration

Model: RRS24F-ST3

FILED

JUN 12 2024

Part Number / Serial Number: 590-113/68181 Ex. 590-XXX / 6XXXX KIRKLAND MUNICIPAL COURT

Description: Radar Characteristics Validation In compliance with: RRS24F-ST3 Radar Sensor Calibration Verification Procedure Documentation (5030-0150)

Date of Issue: February 14, 2024

Owner of EUT:

Verra Mobility 1150 N. Alma School Rd Mesa, AZ 85201

Attention of:

Engineering Department Phone: (480) 443-7000

Test Facility			
Test Laboratory	Keystone Compliance, LLC		
Address	131 North Columbus Innerbelt		
City, State, Zip Code	New Castle, PA 16101		
Phone	(724) 657-9940		
Email	emcteam@keystonecompliance.com		
Web Site	www.keystonecompliance.com		

	Test Personnel					
Name	Camren Morgan					
Title	EMC Test Engineer					
Signature	Erm drug					

CONTROLLED DATA Properietary and Confidential Page 15

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44



1910-071EA-286 Report No.:

Revision:

N/C

### **Radar Sensor Calibration Verification** Certificate of Calibration

#### Model: RRS24F-ST3

### Part Number / Serial Number: 590-113/68181 Ex. 590-XXX / 6XXXX

Date of Issue: February 14, 2024

The frequency measurements performed and recorded within this report demonstrate that the JENOPTIK RR24F-ST3 radar has an accuracy of less than or equal to 0.62 mph in the range of 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph, as specified by the manufacturer.

FSK Frequency Set 1								
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results			
$f_0 = 24.08$	24.0786	15.8108307	-1.40	+/- 48.2	PASS			
f <sub>1</sub> = 24.08725	24.086075	16.1454464	-1.17	+/- 48.2	PASS			
$f_2 = 24.089$	24.087699	17.4500784	-1.30	+/- 48.2	PASS			
$f_3 = 24.09$	24.088674	17.872436	-1.33	+/- 48.2	PASS			

FSK Frequency Set 2						
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results	
f <sub>o</sub> = 24.12	24.118249	16.8162451	-1.75	+/- 48.2	PASS	
$f_1 = 24.12725$	24.125725	16.5628585	-1.53	+/- 48.2	PASS	
f <sub>2</sub> = 24.129	24.127351	17.5154845	-1.65	+/- 48.2	PASS	
f <sub>3</sub> = 24.13	24.128326	17.7138494	-1.67	+/- 48.2	PASS	

FSK Frequency Set 3						
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results	
$f_0 = 24.16$	24.158876	16.7146396	-1.12	+/- 48.2	PASS	
f <sub>1</sub> = 24.16725	24.166025	17.2672417	-1.22	+/- 48.2	PASS	
$f_2 = 24.169$	24.167651	18.6378726	-1.35	+/- 48.2	PASS	
f <sub>3</sub> = 24.17	24.16895	18.867236	-1.05	+/- 48.2	PASS	

CONTROLLED DATA Properietary and Confidential Page 16



LE VEDDA		KIRKLAND MUNICIPAL COURT		
MOBILITY PREVENTIVE MAINTENANCE CHECKLIST				
Date & Time: 05/18/2024 9:51:00 Site ID: KRKF007 Location: NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES				
Product: AutoPatrol Technician Name: Thomas Yuen	Technician Name: Thomas Yuen See Associated Ticket:			
Item	Status	Note/Action (If Status N/A, please specify)		
1. Clean dirt, grime, and graffiti off enclosure and glass.				
1.1. Clean Graffiti.	N/A			
Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.				
1.2. Clean Glass:	Pass			
Clean and inspect all glass and enclosures.				
1.3. Clean Enclosure (Interior):	N/A			
Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.				
1.4. Check Enclosure:	N/A			
If enclosure moved during cleaning, tighten base.				
2. Perform a general site inspection to include environmental and road conditions.				
2.1. PLP/Loop Loop:				
Check for exposed or cut loop wiring, and epoxy wear and tear.				
2.2. Power & Grounding:				
Inspect all power and grounding connections.				
2.3. Radar:				
Inspect radar and cables. Visually inspect antenna.				
2.4. WVDs:				
Check for popped out pucks, visible cracks, or other noticeable damage.				
3. Inspect poles, bases, and enclosures.				

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44

3.1. Pole:	N/A	
3.2. Base:	N/A	
Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base. 3.3. Enclosure:	N/A	
Confirm straps are tight and secure against pole. Tighten if loose. 4. Inspect cables and connections.		
4.1. Cables:	N/A	
4.2. Connections:	N/A	



5.2. Pole:



5.1. Enclosure:



5.3. Photo Enforcement Sign(s):



VERRA MOBILITY PREVENTIVE MAINTENANCE CHECKLIST				
Date & Time: 05/18/2024 9:55:00 Site ID: KRKF008 Location: SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES				
Product: AutoPatrol Technician Name: Thomas Yue	n See Associated Ticket:			
Item	Status Note/Action (If Status N/A, please specify)			
1. Clean dirt, grime, and graffiti off enclosure and glass.				
1.1. Clean Graffiti.	N/A			
Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.				
1.2. Clean Glass:	Pass			
Clean and inspect all glass and enclosures.				
1.3. Clean Enclosure (Interior):	N/A			
Crear ventshans of obstruction. Remove dust and unit by vacuum/wiping.	N//A			
If enclosure moved during cleaning, tighten base.				
<ol> <li>Perform a general site inspection to include environmental and road conditions.</li> </ol>				
Check for exposed or cut loop wiring, and epoxy wear and tear.				
2.2. Power & Grounding:	N/A			
Inspect all power and grounding connections.				
2.3. Radar:	N/A			
Inspect radar and cables. Visually inspect antenna.				
2.4. WVDs:				
Check for popped out pucks, visible cracks, or other noticeable damage.				
3. Inspect poles, bases, and enclosures.				

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44

3.1. Pole: Check sturdiness. Check hurricane collar and confirm screws are tight	N/A	
3.2. Base:	N/A	
3.3. Enclosure:	N/A	
Confirm straps are tight and secure against pole. Tighten if loose. 4. Inspect cables and connections.		
4.1. Cables: Check all cables for visible wear or damage.	N/A	
4.2. Connections: Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.	N/A	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.

5.1. Enclosure:



5.2. Pole:



5.3. Photo Enforcement Sign(s):

