CERTIFICATE CONCERNING DESIGN AND CONSTRUCTION OF ELECTRONIC SPEED MEASURING DEVICES

I, Lesieli Casale, do certify under penalty of the laws of the State of Washington that the following is true and correct:

I have been employed as a technician by American Traffic Solutions for 3 years. I became a speed validation technician in 2023 and have over 100 hours performing speed validation tests. I am nationally certified as a RADAR and LIDAR operator. The City of Kirkland currently uses the AutoPatrolTM 3D radar fixed speed safety camera system, an electronic speed measuring device provided through a contract with American Traffic Solutions, Inc. ("ATS"). Part of my duties include monitoring regular testing of the AutoPatrol 3D radar fixed speed safety camera systems used by the City of Kirkland.

ATS contracted with the City of Kirkland to provide an Automated Speed Enforcement ("ASE") system designed to record the speed of a vehicle and obtain photographs or other recorded images of the vehicle and the vehicle's registration plate while the vehicle is traveling in excess of speed limits in certain safety zones within posted limits.

The ASE program includes the use of the AutoPatrol 3D radar fixed speed safety camera systems at the following locations within the City of Kirkland:

Location Code	Location Description	Lanes Monitored
KRKF001	NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1
KRKF002	SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1
KRKF003	EB 80TH ST @ ROSE HILL ELEMENTARY	1
KRKF004	WB 80TH ST @ ROSE HILL ELEMENTARY	1
KRKF005	SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL	1
KRKF006	WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL	1
KRKF007	NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	1
KRKF008	SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	1

The AutoPatrol 3D radar fixed speed safety camera system operates by measuring vehicle speed, as well as position relative to the radar to calculate and differentiate multiple vehicles in the radar beam. The speed of a moving vehicle is measured by Doppler radar. Doppler radar is a generally accepted technology used for measuring speed. The AutoPatrol 3D radar technology is used throughout the US and Europe as well as other countries and is approved by the Swiss national metrology institute- METAS.

The AutoPatrol 3D radar fixed speed safety camera system uses a tracking radar sensor for measuring vehicle speeds and detecting speed violations. The AutoPatrol 3D radar is aligned at a fixed angle across the road. The AutoPatrol 3D radar emits a horizontal beam over the road surface as represented by the illustration below. The tracking radar can simultaneously detect multiple vehicles and measure their speed, distance, angle and movement within the radar beam. The radar tracks multiple vehicles by reconstructing vehicle movement from

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44

1

the measured object speed, angle and distance values. If a vehicle passes a defined trigger line, the radar outputs the vehicle's speed and lane information. The camera connected to the tracking radar uses this information to determine if there is a speed violation and to capture photographs showing the measured speed and lane on the databar of the captured images.



The tracking radar utilizes the Doppler Effect for speed determination. If an electromagnetic wave is emitted at a moving object, then the wave is reflected back from the moving object. The frequency of the wave received back by the radar shifts based on the speed of the moving object and its direction of travel. The tracking radar continuously determines this frequency shift of each object to calculate the object's speed. The tracking radar consists of two receiving antennas integrated into a single radar sensor. This configuration allows the radar to measure the distance and angle of the vehicle relative to the position of the radar sensor. Illustration A and B show the measurement principle in simplified form. The radar sensor emits a radar beam (illustration A). The radar beam is reflected by the vehicle (illustration B). The two receivers receive the reflected radar beam. The radar sensor evaluates the return frequency, as well as the phase difference of the reflected radar beam from both of the receivers. With the aid of these values the radar sensor calculates the vehicle position.



Prior to operation each day, the system performs a system self-test. This self-test performs an electronic tuning fork test to produce a specific frequency and returns an associated speed value. Only if the return value meets the acceptance criteria to show that the system is operating correctly will the system enter measure mode. Unless a self-test is successful, the system will not enter measure mode and no violations will be captured. Additional information stored as metadata within each image includes coordinates of the vehicle position at the time of capture. This information is extracted and utilized through a secondary speed verification process to provide yet another means to validate offender speed and position based on the two images obtained and image analytics. In addition to the internal system checks and the manufacturer calibration certification, the 3D radar system is subject to routine and independent calibration check of the speeds produced by the system at least annually by a qualified technician.

Each day the computer which controls the fixed speed safety camera system is rebooted. The reboot is initiated each day and each time the computer is rebooted an internal check is performed on all operations of each fixed speed safety camera system, including the clocks, sensors, camera and speed calculating hardware and software, in order to verify that all operations are functioning correctly. When the internal check detects a problem with one of the operations on a given fixed speed safety camera system, then that particular fixed speed safety camera system is inactivated and a request for service is relayed to ATS support personnel. This means that violations cannot be issued until any internal problem is fixed.

Speed validation tests are regularly performed on each installed and operable AutoPatrol 3D radar fixed speed safety camera system. The test is conducted by having a LIDAR Operator obtain true measurements of up to five vehicles per lane in the ascending and/or descending direction. The speed of the vehicle is captured by the LIDAR Operator and then relayed via cellular to an ATS Technician. The ATS Technician then compares the vehicle speed measured by the AutoPatrol 3D radar fixed speed safety camera system to the speed measured by the LIDAR Operator to ensure the accuracy of the AutoPatrol 3D radar fixed speed safety camera system. ATS maintains the results of each test in a Validation Report. The speed validation for each system was performed on the following date and the systems at each location were found to be in proper working order:

Location	Location Description					
Coue						
KRKF001	NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	4/18/2024				
KRKF002	SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	4/18/2024				
KRKF003	EB 80TH ST @ ROSE HILL ELEMENTARY	4/18/2024				
KRKF004	WB 80TH ST @ ROSE HILL ELEMENTARY	4/18/2024				
KRKF005	SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL	4/18/2024				
KRKF006	WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL	4/18/2024				
KRKF007	NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	4/18/2024				
KRKF008	SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	4/18/2024				

Preventative maintenance, including visual inspections, is regularly performed on the AutoPatrol 3D radar fixed speed safety camera systems. Preventative maintenance activities include: cleaning of the cameras and housing, general site inspection of environment and road conditions, inspection of poles, bases and enclosures, and inspection of system cables and connections. The location and date that preventative maintenance is performed is recorded in the Preventative Maintenance Log, which along with the Validation Report(s) referenced above, is attached hereto.

I am a custodian, or otherwise qualified witness, as to the attached records. I make this declaration based on personal knowledge, and if called and sworn as a witness, I could and would testify as set forth in the following paragraph.

Attached as Exhibits are: Exhibit A - Speed Validation Reports, Exhibit B - Preventative Maintenance Logs, and Exhibit C - Annual System Verification Certificate for all AutoPatrol 3D radar fixed speed safety camera systems installed and used by the City of Kirkland. All documents and materials included as Exhibit A, Exhibit B and Exhibit C are authentic and are what they purport to be, and accurately describe the matters set forth therein. All such records are business records in that they are: (1) records kept in the ordinary course of business; (2) created at or near the time of the transactions or events reflected therein by, or based on information from, a person with knowledge of the transaction or events; and (3) kept as part of a regular business activity.

Based upon my education, training, experience, and knowledge of the AutoPatrol 3D radar fixed speed safety camera system, it is my opinion that the system is so designed and constructed as to accurately employ measurement techniques based on a division of distance over time in such a manner that it will give accurate measurements of the speed of motor vehicles.

I, Lesieli Casale, certify (or declare) under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct.

Dated this 8th day of May 2024 in Mesa, AZ

Lesieli Casale

Lesieli Casale, Speed Validation Technician



Speed Validation Report Client: Kirkland, WA

Validation Date: April 18, 2024

- KRKF001 NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE
 - o Radar Serial Number: 590-112/61693
- KRKF002 SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE
 - o Radar Serial Number: 590-113/61513
- KRKF003 EB 80TH ST @ ROSE HILL ELEMENTARY
 - o Radar Serial Number: 590-113/64176
- KRKF004 WB 80TH ST @ ROSE HILL ELEMENTARY
 - o Radar Serial Number: 590-112/62298
- KRKF005 SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL
 - Radar Serial Number: 590-113/68392
- KRKF006 WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL
 - Radar Serial Number: 590-113/68391
- KRKF007 NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES
 - Radar Serial Number: 590-113/68421
- KRKF008 SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES
 - o Radar Serial Number: 590-113/68429

Equipment:

Pro-Lite Plus Hand held Lidar Serial Number: LP05509 Certification Date: October 27, 2023 Lidar Operator: Charles Goodrich RLC Operator: Catherine Koselka-Thompson

> THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44

FILED MAY 17 2024 KIRKLAND MUNICIPAL COURT

1



A speed validation test was conducted for the sites listed above. The Lidar Operator, obtained true measurements of five vehicles per lane in the ascending and/or descending direction. Those speeds were obtained using a Kustom Signals Pro-Lite+ hand held Lidar instrument. The speed of the vehicle is captured by the Lidar Operator and then relayed via cellular to the RLC Technician. The RLC Technician is monitoring the vehicle speed at the Fixed Speed Camera system simultaneously to ensure the accuracy of the system. The speed validation tests performed on the above-listed dates confirmed the accuracy of the Fixed Speed Camera systems at each location.

I, Lesieli Casale, certify that the information contained in this report is true and accurate.

Eesieli Casale Signed: 🗢

Date: May 8, 2024 Mesa, Arizona American Traffic Solutions Speed Integrity Team



Certificate of	Achievement
Speed Integ. Has successfully completed to Speed Integrity	rity Technician he 16 hour course for Technician
This course encompasses all the necessary tasks require Technician. Through this course each participant is requir written and practical examinations. In addition, this course	d to perform the duties as a Speed Integrity ed to display the proper competency through a certifies each participants as a Lidar operator.
Presented to: Charles Goodric	h
This Day: March 29, 2016	AK
MOLD Continuants of American V1.0 American Traffic Solutions*	Matthew Gloia Police Traffic Laser/Radar Instructor aut Gray Roat, Scottsdam, A2, 85260 Continues # BDLD-0013-CP4-01

Certificate of A	Achievement
Speed Integrity	Technician
Has successfully completed the course	e for Speed Inegrity Technician
This course encompasses all the necessary tasks required to	o perform the duties as a Speed Integrity Technician.
Through this course each participant is required to display the	e proper competencies in Radar and Laser
Technology. In addition, this course certifies each participant	s as a Radar and Lidar operator.
Presented to: Catherine Koselka	z
This Day: August 21st, 2019	Tel Vot
American	Tylor Yochim
Traffic Solutions"	Radar Instructor



TTER FORK X & ADDE	000000000000000000000000000000000000000	20120102000000000000000000000000000000
	PB Electronics 248 W Peaceful Ct., Shepherds 502 543, 7032, warm obelow	Inc. sville, KY 40165
Factory Authori	zed Calibration Center for Stalker	r, MPH, Kustom, Decatur and LTI
	Certificate of Calil	oration
Manufashinan Viceba	n Model: Pro-Life	Serial Number: LP05509
hereby certify that this peration under my sup stationary mode using	Speed Measuring Device has been c ervision. This Speed Measuring Devi g equipment traceable to National Inst	hecked for accuracy and correctness of ce is certified accurately within +/- 0.5 mp itute of Standards and technology.
hereby certify that this peration under my sup stationary mode using he laser transmitter of	Speed Measuring Device has been c ervision. This Speed Measuring Devi g equipment traceable to National Inst this device has been tested and found	hecked for accuracy and correctness of ce is certified accurately within +/- 0.5 mpl itute of Standards and technology. t to be within specified range for Laser
hereby certify that this peration under my sup stationary mode using he laser transmitter of evices as established	Speed Measuring Device has been c ervision. This Speed Measuring Devi g equipment traceable to National Inst this device has been tested and found by the Federal Communications Com	hecked for accuracy and correctness of ce is certified accurately within +/- 0.5 mpl itute of Standards and technology. I to be within specified range for Laser mission and IACP
hereby certify that this beration under my sup stationary mode using the laser transmitter of evices as established CC License number P Factory Anthenized Service Canter	Speed Measuring Device has been overvision. This Speed Measuring Device has been to National Instantiation of this device has been tested and found by the Federal Communications Com G-18-12552 Technician Sign	hecked for accuracy and correctness of ce is certified accurately within +/- 0.5 mpl itute of Standards and technology. I to be within specified range for Laser mission and IACP hature
hereby certify that this peration under my sup stationary mode using he laser transmitter of levices as established CC License number P Rectory industrie Service Conter NATE: Internal Service Conter National Service Service Conter National Service Service Conter National Service Service Conter National Service Service Conter National Service Service Conter Service Conter National Service Service Conter National Service Service Conter National Service Service Conter National Service Service Conter National Service Service Conter National Service	Speed Measuring Device has been c ervision. This Speed Measuring Devi g equipment traceable to National Inst this device has been tested and found by the Federal Communications Com G-18-12552 Technician Sign Tuning Forks Serial Numbers: n/a	hecked for accuracy and correctness of ce is certified accurately within +/- 0.5 mp itute of Standards and technology. It to be within specified range for Laser mission and IACP hature



Kustom Sig	SELF-ACCURACY TEST gnals Pro-Lite+ Lidar Speed Measurement Tool
DATE:	April 18, 2024
Start of shift '	'Self-Diagnostic test" time:9:06 AM
Start of shift]	Distance check:100'lidar
End of shift "	Self-Diagnostic test" time: 10:32 AM
End of shift D	istance check:100'
City and State	e:Kirkland, WA
Lidar Serial N	LP05509
Certification]	Date:October 27 th , 2023
OPERATOR:	Charles Goodrich
I, <i>Charles Go</i> speed measu accordance w diagnostic che	odrich, certify that the Kustom Signals Pro-Lite+ Lidar rement device was setup, tested, and operated in rith the manufactures specifications to include its self- eck.
Further, I ce accurate.	rtified that the self-check distance was completed and
Signature:	and her
Date: April	18, 2024

.





Date			4/18/2024		
Time			9:46 AM		
Site ID				KRKF0	01
Location			Kirkland, WA		
			NB 132ND AVE N	NE @ MUIR E	LEMENTARY/KAMIAKIN
Address				MIDDL	E
Posted Spee	d Limit			20MP	Н
Trigger Spee	d Limit			26MP	Н
Speed Type				Schoo	bl
Lidar Techni	cian			Charles Go	odrich
AutoPatrol To	echnician		Catherine Thompson		
Lidar Serial N	lumber		LP05509		
Radar Serial	Number		590-112/61693		
Detection Ty	ре		Autopatrol-Radar		
Measure Mode Capture				Yes	
Photo enforcement signs present				Yes	
Pass/ Fail				Pass	
Ascending o	r Descendin	g	Descending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	09.46.50	20	21	1	
1	09.48.04	27	28	1	
1	09.48.10	31	31	0	
1	09.48.13	30	30	0	
1	09.49.09	26	26	0	





Date			4/18/2024		
Time			9:49 AM		
Site ID				KRKFO	002
Location				Kirkland	, WA
			SB 132ND AVE N	IE @ MUIR E	LEMENTARY/KAMIAKIN
Address				MIDDL	.E
Posted Spee	d Limit			20MP	Н
Trigger Spee	d Limit			26MP	Н
Speed Type				Schoo	ol
Lidar Techni	cian			Charles Go	odrich
AutoPatrol T	echnician		Catherine Thompson		
Lidar Serial N	lumber		LP05509		
Radar Serial	Number		590-113/61513		
Detection Ty	pe		Autopatrol-Radar		
Measure Mode Capture				Yes	
Photo enforcement signs present				Yes	
Pass/ Fail		A Contract of the second		Pass	5
Ascending o	r Descendin	g	Descending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	09.49.28	27	28	1	
1	09.50.16	25	24	-1	
1	09.50.21	25	24	-1	
1	09.50.34	25	26	1	
1 09.50.44 31			30	-1	





Date			4/18/2024		
Time			9:26 AM		
Site ID	i the second			KRKF0	03
Location				Kirkland,	WA
Address			EB 80TH S	T @ ROSE H	ILL ELEMENTARY
Posted Spee	d Limit			20MPI	4
Trigger Spee	d Limit			26MPI	-
Speed Type				Schoo	bl
Lidar Techni	cian			Charles Go	odrich
AutoPatrol T	echnician		Catherine Thompson		
Lidar Serial N	lumber		LP05509		
Radar Serial	Number		590-113/64176		
Detection Ty	ре		Autopatrol-Radar		
Measure Mod	leasure Mode Capture			Yes	
Photo enforcement signs present				Yes	
Pass/ Fail				Pass	
Ascending o	r Descendin	g	Descending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	09.26.40	16	17	1	
1	09.27.01	19	18	-1	
1	09.27.17	20	20	0	
1	09.27.48	16	15	-1	
1 09.28.52 15		14	-1		





Date			4/18/2024			
Time			9:30 AM			
Site ID				KRKF0	04	
Location				Kirkland,	WA	
Address			WB 80TH S	T @ ROSE H	ILL ELEMENTARY	
Posted Spee	d Limit			20MPH	1	
Trigger Spee	d Limit			26MPH	4	
Speed Type				Schoo	ol	
Lidar Technic	cian			Charles Go	odrich	
AutoPatrol To	echnician		Catherine Thompson			
Lidar Serial N	lumber		LP05509			
Radar Serial	Number		590-112/62298			
Detection Ty	ре		Autopatrol-Radar			
Measure Mod	leasure Mode Capture			Yes		
Photo enforcement signs present			Yes			
Pass/ Fail			Pass			
Ascending o	r Descendin	g	Descending			
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1	09.30.39	18	17	-1		
1	09.30.54	20	20	0		
1	09.32.10	17	17	0		
1	09.34.22	23	22	-1		
1 09.34.38 18		19	1			





Date			4/18/2024				
Time			9:17 AM				
Site ID				KRK	F005		
Location	the April 1			Kirklar	nd, WA		
Address			SB 724 STATE	ST @ LAKEVI	EW ELEMENTARY SCHOOL		
Posted Spee	d Limit			20N	IPH		
Trigger Spee	d Limit			26N	IPH		
Speed Type				Sch	ool		
Lidar Techni	cian			Charles (Goodrich		
AutoPatrol To	echnician			Catherine ⁻	Thompson		
Lidar Serial N	lumber		LP05509				
Radar Serial	Number		590-113/68392				
Detection Ty	pe			Autopatr	opatrol-Radar		
Measure Mode Capture				Ye	es		
Photo enforcement signs present				Ye	es		
Pass/ Fail				Pa	SS		
Ascending o	r Descendin	g		Desce	nding		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments		
1	09.17.13	22	22	0			
1	09.17.14	22	23	1			
1	09.17.24	37	37	0			
1	09.17.39	20	20	0			
1	09.17.42	18	18 0				





Date			4/18/2024			
Time			9:11 AM			
Site ID				KRKF0	06	
Location				Kirkland,	, WA	
Address			WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL			
Posted Spee	d Limit			20MPI	Н	
Trigger Spee	d Limit			26MPI	Н	
Speed Type				Schoo	bl	
Lidar Techni	cian			Charles Go	odrich	
AutoPatrol T	echnician		Catherine Thompson			
Lidar Serial N	lumber		LP05509			
Radar Serial	Number	590		590-113/6	8391	
Detection Type			5	Autopatrol-	Radar	
Measure Mode Capture				Yes		
Photo enforcement signs present				Yes		
Pass/ Fail				Pass		
Ascending o	r Descendin	g		Descend	ling	
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1	09.11.32	9	10	1		
1	09.12.37	18	17	-1		
1	09.12.45	17	18	1		
1	09.12.49	17	17	0		
1 09.12.53 13			14	1		





Date			4/18/2024				
Time				10:23 A	M		
Site ID				KRKF0	07		
Location			Kirkland, WA				
Address			NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES				
Posted Spee	d Limit			20MPI	Н		
Trigger Spee	d Limit			26MPI	Η		
Speed Type				Schoo	bl		
Lidar Technie	cian		Charles Goodrich				
AutoPatrol Technician			Catherine Thompson				
Lidar Serial Number				LP0550	09		
Radar Serial Number				590-113/6	8421		
Detection Type				Autopatrol-	Radar		
Measure Mode Capture				Yes			
Photo enforcement signs present				Yes			
Pass/ Fail				Pass			
Ascending or Descending				Descend	ling		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments		
1	10.23.45	31	30	-1			
1	10.24.09	24	24	0			
1	10.25.01	23	23	0			
1	10.27.48	25	26	1			
1	10.27.56	25	25	0			





the second se							
Date			4/18/2024				
Time				10:18 A	٨M		
Site ID				KRKF0	08		
Location				Kirkland,	, WA		
Address			SB 14006 84TH AVE NE @ SANDBURG ES / FINN HIL MS / THOREAU ES				
Posted Spee	d Limit			20MP	Н		
Trigger Spee	d Limit			26MP	Н		
Speed Type				Schoo	bl		
Lidar Techni	cian		Charles Goodrich				
AutoPatrol Technician			Catherine Thompson				
Lidar Serial Number				LP055	09		
Radar Serial Number				590-113/6	8429		
Detection Type				Autopatrol	-Radar		
Measure Mode Capture				Yes			
Photo enforcement signs present				Yes			
Pass/ Fail				Pass			
Ascending o	r Descendin	g		Descend	ling		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments		
1	10.18.11	34	34	0			
1	10.19.13	18	18	0			
1	10.19.33	30	30	0			
1	10.19.43	34	34	0			
1	10.19.49	33	32	-1			



Report No.: 1910-0

1910-071EA-264

Revision:

N/C

Radar Sensor Calibration Verification Certificate of Calibration

Model: RRS24F-ST3

Part Number / Serial Number: 590-112/61693 Ex. 590-XXX / 6XXXX FILED MAY 17 2024 MUNICIPAL COURT

Description: Radar Characteristics Validation In compliance with: RRS24F-ST3 Radar Sensor Calibration Verification Procedure Documentation (5030-0150)

Date of Issue: October 27, 2023

Owner of EUT:

Verra Mobility 1150 N. Alma School Rd Mesa, AZ 85201

Attention of:

Engineering Department Phone: (480) 443-7000

Test Facility				
Test Laboratory	Keystone Compliance, LLC			
Address	131 North Columbus Innerbelt			
City, State, Zip Code	New Castle, PA 16101			
Phone	(724) 657-9940			
Email	emcteam@keystonecompliance.com			
Web Site	www.keystonecompliance.com			

	Test Personnel
Name	Camren Morgan
Title	EMC Test Engineer
Signature	enn onza

CONTROLLED DATA Properietary and Confidential Page 15

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44



Report No .: 1910-071EA-264

Revision: N/C

Radar Sensor Calibration Verification Certificate of Calibration

Model: RRS24F-ST3

Part Number / Serial Number: 590-112/61693 Ex. 590-XXX / 6XXXX

Date of Issue: October 27, 2023

The frequency measurements performed and recorded within this report demonstrate that the JENOPTIK RR24F-ST3 radar has an accuracy of less than or equal to 0.62 mph in the range of 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph, as specified by the manufacturer.

FSK Frequency Set 1							
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results		
$f_0 = 24.08$	24.076325	16.1408327	-3.67	+/- 48.2	PASS		
$f_1 = 24.08725$	24.083474	16.6384424	-3.78	+/- 48.2	PASS		
$f_2 = 24.089$	24.085424	17.8610734	-3.58	+/- 48.2	PASS		
f ₃ = 24.09	24.086401	17.923438	-3.60	+/- 48.2	PASS		

FSK Frequency Set 2						
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results	
$f_0 = 24.12$	24.117926	16.3312441	-2.07	+/- 48.2	PASS	
f ₁ = 24.12725	24.125401	16.3428575	-1.85	+/- 48.2	PASS	
$f_2 = 24.129$	24.127025	17.3314865	-1.98	+/- 48.2	PASS	
f ₃ = 24.13	24.128	17.3848474	-2.00	+/- 48.2	PASS	

FSK Frequency Set 3							
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results		
$f_0 = 24.16$	24.15855	15.8376406	-1.45	+/- 48.2	PASS		
$f_1 = 24.16725$	24.165702	16.2942417	-1.55	+/- 48.2	PASS		
$f_2 = 24.169$	24.167651	17.6538716	-1.35	+/- 48.2	PASS		
f ₃ = 24.17	24.168626	17.780231	-1.37	+/- 48.2	PASS		

CONTROLLED DATA Properietary and Confidential Page 16



Report No.: 1910-071EA-220

Revision: N/C

Radar Sensor Calibration Verification Certificate of Calibration

Model: RRS24F-ST3

FILED MAY 17 2024

Part Number / Serial Number: 590-113/61513 Ex. 590-XXX / 6XXXX KIRKLAND MUNICIPAL COURT

Description: Radar Characteristics Validation In compliance with: RRS24F-ST3 Radar Sensor Calibration Verification Procedure Documentation (5030-0150)

Date of Issue: June 19, 2023

Owner of EUT:

Verra Mobility 1150 N. Alma School Rd Mesa, AZ 85201

Attention of:

Engineering Department Phone: (480) 443-7000

Test Facility			
Test Laboratory	Keystone Compliance, LLC		
Address	131 North Columbus Innerbelt		
City, State, Zip Code	New Castle, PA 16101		
Phone	(724) 657-9940		
Email	emcteam@keystonecompliance.com		
Web Site	www.keystonecompliance.com		

	Test Personnel
Name	Camren Morgan
Title	EMC Test Engineer
Signature	Erren ànzan

CONTROLLED DATA Properietary and Confidential Page 15

> THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44



Report No .: 1910-071EA-220

Revision:

N/C

Radar Sensor Calibration Verification Certificate of Calibration

Model: RRS24F-ST3

Part Number / Serial Number: 590-113/61513 Ex. 590-XXX / 6XXXX

Date of Issue: June 19, 2023

The frequency measurements performed and recorded within this report demonstrate that the JENOPTIK RR24F-ST3 radar has an accuracy of less than or equal to 0.62 mph in the range of 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph, as specified by the manufacturer.

FSK Frequency Set 1							
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results		
$f_0 = 24.08$	24.077951	1.07583065	-2.05	+/-48.2	PASS		
$f_1 = 24.08725$	24.085101	0.4834434	-2.15	+/- 48.2	PASS		
f ₂ = 24.089	24.08705	1.82907643	1.95	+/- 48.2	PASS		
$f_3 = 24.09$	24.088025	1.807434	-1.98	+/- 48.2	PASS		

FSK Frequency Set 2							
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results		
$f_0 = 24.12$	24.118575	5.82124907	-1.43	+/- 48.2	PASS		
$f_1 = 24.12725$	24.125725	5.14385949	-1.53	+/- 48.2	PASS		
$f_2 = 24.129$	24.127676	5.90749047	-1.32	+/- 48.2	PASS		
f ₁ = 24.13	24.128651	5.66284744	-1.35	+/- 48.2	PASS		

FSK Frequency Set 3							
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results		
$f_0 = 24.16$	24.158226	4.4716356	-1.77	+/- 48.2	PASS		
f ₁ = 24.16725	24 165376	5.84224569	-1.87	+/- 48.2	PASS		
$f_2 = 24.169$	24.167326	6.93187163	-1.67	+/- 48.2	PASS		
$f_3 = 24.17$	24 168301	7.18223101	-1.70	+/- 48.2	PASS		

CONTROLLED DATA Properietary and Confidential Page 16



MUNICIPAL COURT

 \Box



PREVENTIVE MAINTENANCE CHECKLIST

Date & Time: 04/15/2024 16:54:00

Site ID: KRKF001

Location: NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE

Product: AutoPatrol

Technician Name: Thomas Yuen

See Associated Ticket:

Item	Status	Note/Action (If Status N/A, please specify)
1. Clean dirt, grime, and graffiti off enclosure and glass.		
1.1. Clean Graffiti.	Pass	
Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.		
1.2. Clean Glass:	Pass	
Clean and inspect all glass and enclosures.		
1.3. Clean Enclosure (Interior):	Pass	
Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.		
1.4. Check Enclosure:	N/A	
If enclosure moved during cleaning, tighten base.	A PLAN AN ENCOUNTR	
2. Perform a general site inspection to include environmental and road conditions.		
2.1. PLP/Loop Loop:		
Check for exposed or cut loop wiring, and epoxy wear and tear.		
2.2. Power & Grounding:	N/A	
Inspect all power and grounding connections.		
2.3. Radar:	N/A	
Inspect radar and cables. Visually inspect antenna.		
2.4. WVDs:		
Check for popped out pucks, visible cracks, or other noticeable damage.		
3. Inspect poles, bases, and enclosures.		

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44

3.1. Pole: Check sturdiness. Check hurricane collar and confirm screws are tight.	N/A	
3.2. Base: Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.	N/A	
3.3. Enclosure: Confirm straps are tight and secure against pole. Tighten if loose.	N/A	
4. Inspect cables and connections.		
4.1. Cables: Check all cables for visible wear or damage.	N/A	
4.2. Connections: Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.	N/A	

5. Take (and attach) photo of enclosure, pole, and photo enforcement sign(s) for presence and damage.



5.2. Pole:



5.1. Enclosure:

5.3. Photo Enforcement Sign(s):





KIRKLAND MUNICIPAL COURT

V A VERRA MOBILITY

PREVENTIVE MAINTENANCE CHECKLIST

Date & Time: 04/14/2024 16:52:00 Site ID: KRKF002 Location: SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE				
Product: AutoPatrol	Technician Na	me: Thomas Yuen	See Associated Ticket:	
Item		Status	Note/Action (If Status N/A, please specify)	
1. Clean dirt, grime, and graffiti off enclosure	and glass.			
1.1. Clean Graffiti.		N/A		
Check physical integrity. Check paint/housing	g for graffiti and (or) other vandalism.			
1.2. Clean Glass:		Pass		
Clean and inspect all glass and enclosures.				
1.3. Clean Enclosure (Interior):		N/A		
Clear vents/fans of obstruction. Remove dus	t and dirt by vacuum/wiping.			
1.4. Check Enclosure:		N/A		
If enclosure moved during cleaning, tighten b	ase.			
2. Perform a general site inspection to include	le environmental and road conditions.			
2.1. PLP/Loop Loop:				
Check for exposed or cut loop wiring, and ep	oxy wear and tear.			
2.2. Power & Grounding:		N/A		
Inspect all power and grounding connections	L:			
2.3. Radar:		N/A		
Inspect radar and cables. Visually inspect an	tenna.			
2.4. WVDs:				
Check for popped out pucks, visible cracks,	or other noticeable damage.			
3. Inspect poles, bases, and enclosures.				

3.1. Pole: Check sturdiness. Check hurricane collar and confirm screws are tight.	N/A	
3.2. Base: Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.	N/A	
3.3. Enclosure: Confirm straps are tight and secure against pole. Tighten if loose.	N/A	
4. Inspect cables and connections.	a service of	
4.1. Cables: Check all cables for visible wear or damage.	N/A	
4.2. Connections: Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.	N/A	y



5.2. Pole:

5.1. Enclosure:



5.3. Photo Enforcement Sign(s):

