KIRKLAND

MUNICIPAL COURT CERTIFICATE CONCERNING DESIGN AND CONSTRUCTION OF ELECTRONIC SPEED MEASURING DEVICES

I, Lesieli Casale, do certify under penalty of the laws of the State of Washington that the following is true and correct:

I have been employed as a technician by American Traffic Solutions for 3 years. I became a speed validation technician in 2023 and have over 100 hours performing speed validation tests. I am nationally certified as a RADAR and LIDAR operator. The City of Kirkland currently uses the AutoPatrolTM 3D radar fixed speed safety camera system, an electronic speed measuring device provided through a contract with American Traffic Solutions, Inc. ("ATS"). Part of my duties include monitoring regular testing of the AutoPatrol 3D radar fixed speed safety camera systems used by the City of Kirkland.

ATS contracted with the City of Kirkland to provide an Automated Speed Enforcement ("ASE") system designed to record the speed of a vehicle and obtain photographs or other recorded images of the vehicle and the vehicle's registration plate while the vehicle is traveling in excess of speed limits in certain safety zones within posted limits.

The ASE program includes the use of the AutoPatrol 3D radar fixed speed safety camera systems at the following locations within the City of Kirkland:

Location Code	Location Description	Lanes Monitored
KRKF001	NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1
KRKF002	SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	1
KRKF003	EB 80TH ST @ ROSE HILL ELEMENTARY	1
KRKF004	WB 80TH ST @ ROSE HILL ELEMENTARY	1
KRKF005	SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL	1
KRKF006	WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL	1
KRKF007	NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	1
KRKF008	SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	1

The AutoPatrol 3D radar fixed speed safety camera system operates by measuring vehicle speed, as well as position relative to the radar to calculate and differentiate multiple vehicles in the radar beam. The speed of a moving vehicle is measured by Doppler radar. Doppler radar is a generally accepted technology used for measuring speed. The AutoPatrol 3D radar technology is used throughout the US and Europe as well as other countries and is approved by the Swiss national metrology institute- METAS.

The AutoPatrol 3D radar fixed speed safety camera system uses a tracking radar sensor for measuring vehicle speeds and detecting speed violations. The AutoPatrol 3D radar is aligned at a fixed angle across the road. The AutoPatrol 3D radar emits a horizontal beam over the road surface as represented by the illustration below. The tracking radar can simultaneously detect multiple vehicles and measure their speed, distance, angle and movement within the radar beam. The radar tracks multiple vehicles by reconstructing vehicle movement from

the measured object speed, angle and distance values. If a vehicle passes a defined trigger line, the radar outputs the vehicle's speed and lane information. The camera connected to the tracking radar uses this information to determine if there is a speed violation and to capture photographs showing the measured speed and lane on the databar of the captured images.



The tracking radar utilizes the Doppler Effect for speed determination. If an electromagnetic wave is emitted at a moving object, then the wave is reflected back from the moving object. The frequency of the wave received back by the radar shifts based on the speed of the moving object and its direction of travel. The tracking radar continuously determines this frequency shift of each object to calculate the object's speed. The tracking radar consists of two receiving antennas integrated into a single radar sensor. This configuration allows the radar to measure the distance and angle of the vehicle relative to the position of the radar sensor. Illustration A and B show the measurement principle in simplified form. The radar sensor emits a radar beam (illustration A). The radar beam is reflected by the vehicle (illustration B). The two receivers receive the reflected radar beam. The radar sensor evaluates the return frequency, as well as the phase difference of the reflected radar beam from both of the receivers. With the aid of these values the radar sensor calculates the vehicle position.



Prior to operation each day, the system performs a system self-test. This self-test performs an electronic tuning fork test to produce a specific frequency and returns an associated speed value. Only if the return value meets the acceptance criteria to show that the system is operating correctly will the system enter measure mode. Unless a self-test is successful, the system will not enter measure mode and no violations will be captured. Additional information stored as metadata within each image includes coordinates of the vehicle position at the time of capture. This information is extracted and utilized through a secondary speed verification process to provide yet another means to validate offender speed and position based on the two images obtained and image analytics. In addition to the internal system checks and the manufacturer calibration certification, the 3D radar system is subject to routine and independent calibration check of the speeds produced by the system at least annually by a qualified technician.

Each day the computer which controls the fixed speed safety camera system is rebooted. The reboot is initiated each day and each time the computer is rebooted an internal check is performed on all operations of each fixed speed safety camera system, including the clocks, sensors, camera and speed calculating hardware and software, in order to verify that all operations are functioning correctly. When the internal check detects a problem with one of the operations on a given fixed speed safety camera system, then that particular fixed speed safety camera system is inactivated and a request for service is relayed to ATS support personnel. This means that violations cannot be issued until any internal problem is fixed.

Speed validation tests are regularly performed on each installed and operable AutoPatrol 3D radar fixed speed safety camera system. The test is conducted by having a LIDAR Operator obtain true measurements of up to five vehicles per lane in the ascending and/or descending direction. The speed of the vehicle is captured by the LIDAR Operator and then relayed via cellular to an ATS Technician. The ATS Technician then compares the vehicle speed measured by the AutoPatrol 3D radar fixed speed safety camera system to the speed measured by the LIDAR Operator to ensure the accuracy of the AutoPatrol 3D radar fixed speed safety camera system. ATS maintains the results of each test in a Validation Report. The speed validation for each system was performed on the following date and the systems at each location were found to be in proper working order:

Location	Location Description	Date of Test
Code		
KRKF001	NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	4/18/2024
KRKF002	SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE	4/18/2024
KRKF003	EB 80TH ST @ ROSE HILL ELEMENTARY	4/18/2024
KRKF004	WB 80TH ST @ ROSE HILL ELEMENTARY	4/18/2024
KRKF005	SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL	4/18/2024
KRKF006	WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL	4/18/2024
KRKF007	NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	4/18/2024
KRKF008	SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES	4/18/2024

Preventative maintenance, including visual inspections, is regularly performed on the AutoPatrol 3D radar fixed speed safety camera systems. Preventative maintenance activities include: cleaning of the cameras and housing, general site inspection of environment and road conditions, inspection of poles, bases and enclosures, and inspection of system cables and connections. The location and date that preventative maintenance is performed is recorded in the Preventative Maintenance Log, which along with the Validation Report(s) referenced above, is attached hereto.

I am a custodian, or otherwise qualified witness, as to the attached records. I make this declaration based on personal knowledge, and if called and sworn as a witness, I could and would testify as set forth in the following paragraph.

Attached as Exhibits are: Exhibit A - Speed Validation Reports, Exhibit B - Preventative Maintenance Logs, and Exhibit C - Annual System Verification Certificate for all AutoPatrol 3D radar fixed speed safety camera systems installed and used by the City of Kirkland. All documents and materials included as Exhibit A, Exhibit B and Exhibit C are authentic and are what they purport to be, and accurately describe the matters set forth therein. All such records are business records in that they are: (1) records kept in the ordinary course of business; (2) created at or near the time of the transactions or events reflected therein by, or based on information from, a person with knowledge of the transaction or events; and (3) kept as part of a regular business activity.

Based upon my education, training, experience, and knowledge of the AutoPatrol 3D radar fixed speed safety camera system, it is my opinion that the system is so designed and constructed as to accurately employ measurement techniques based on a division of distance over time in such a manner that it will give accurate measurements of the speed of motor vehicles.

I, Lesieli Casale, certify (or declare) under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct.

Dated this 8th day of May 2024 in Mesa, AZ

Lesieli Casale

Lesieli Casale, Speed Validation Technician



Speed Validation Report Client: Kirkland, WA

Validation Date: April 18, 2024

- KRKF001 NB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE
 - o Radar Serial Number: 590-112/61693
- KRKF002 SB 132ND AVE NE @ MUIR ELEMENTARY/KAMIAKIN MIDDLE
 - o Radar Serial Number: 590-113/61513
- KRKF003 EB 80TH ST @ ROSE HILL ELEMENTARY
 - o Radar Serial Number: 590-113/64176
- KRKF004 WB 80TH ST @ ROSE HILL ELEMENTARY
 - o Radar Serial Number: 590-112/62298
- KRKF005 SB 724 STATE ST @ LAKEVIEW ELEMENTARY SCHOOL
 - o Radar Serial Number: 590-113/68392
- KRKF006 WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY SCHOOL
 - o Radar Serial Number: 590-113/68391
- KRKF007 NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES
 - Radar Serial Number: 590-113/68421
- KRKF008 SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES
 - Radar Serial Number: 590-113/68429

Equipment:

Pro-Lite Plus Hand held Lidar Serial Number: LP05509 Certification Date: October 27, 2023 Lidar Operator: Charles Goodrich RLC Operator: Catherine Koselka-Thompson

THIS DOCUMENT IS MAINTAINED AS A PUBLIC RECORD IN ACCORDANCE WITH RCW 5.44

KIRKLAND MUNICIPAL COURT

FILED

MAY 17 2024



A speed validation test was conducted for the sites listed above. The Lidar Operator, obtained true measurements of five vehicles per lane in the ascending and/or descending direction. Those speeds were obtained using a Kustom Signals Pro-Lite+ hand held Lidar instrument. The speed of the vehicle is captured by the Lidar Operator and then relayed via cellular to the RLC Technician. The RLC Technician is monitoring the vehicle speed at the Fixed Speed Camera system simultaneously to ensure the accuracy of the system. The speed validation tests performed on the above-listed dates confirmed the accuracy of the Fixed Speed Camera systems at each location.

I, Lesieli Casale, certify that the information contained in this report is true and accurate.

Lesieli Casale Signed: 😑

Date: May 8, 2024 Mesa, Arizona American Traffic Solutions Speed Integrity Team



Certific	cate of A	chieve	ement
	Speed Integrity Has successfully completed the 16 Speed Integrity Techni	Technician hour course for cian	
This course encompasse Technician. Through this written and practical examples	s all the necessary tasks required to p course each participant is required to o minations. In addition, this course certi	erform the duties as a Spee display the proper competen lies each participants as a Li	d Integrity cy through dar operator.
Presented to:	Charles Goodrich		
This Day:	March 29, 2016	A	X
ATS AT	fric Solutions	Matthey Police Traffic Laser	v Glota :/Radar Instructor
ROLD Cartificate III Achieveneerii VI.0	American Traffic Solutiona, Inc., 7683 East Gray	Road, Scottedate, A2 85260	Certificativ # FIDLD-0613-CE5-01

Certificate of Ac	hievement
Apreed Integrity Tea Has successfully completed the course for Sp	eed Inegrity Technician
This course encompasses all the necessary tasks required to perform Through this course each participant is required to display the proper Technology. In addition, this course certifies each participants as a R	n the duties as a Speed Integrity Technician. r competencies in Radar and Laser Radar and Lidar operator.
Presented to: Catherine Koselka	
This Day: August 21st, 2019	Tel Vit
American Traffic Solutions	Tylor Yochim Radar Instructor



	997799999999	8466346	8099922859322	300000		
ξ			PR Electronics	Inc		
31 		248 W Pe	aceful Ct. Shepher	dsville KY	40165	ŝ
Š		502 5	43-7032 www.pbel	ectronics.c	om	5
š –	Factory Authoriz	ed Calibra	tion Center for Stalk	er, MPH, K	fustom, Decatur and LTI	ŝ
						3
ê		Ce	rtificate of Cal	ibratior	1	3
8						
Č.	Manufacturer: Kustom		Model: Pro-Lite	1	Serial Number: LP05509	
ę.			2.30-36 - 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1			Ş
op in Th De	eration under my supe stationary mode using te laser transmitter of t evices as established b	rvision. Thi equipment his device h y the Feder	s Speed Measuring De traceable to National In as been tested and fou al Communications Co	vice is certifi stitute of Sta nd to be with mmission an	ied accurately within +/- 0.5 mph andards and technology. hin specified range for Laser INTACP	
	C License number PG Factory Anthenbad Service Benter	-18-12552	Technician Si	gnature	Martin	いていていていていてい
100 M	PYALNES WARDER	Funing Forks	Serial Numbers: n/a		Date: October 27, 2023	5555
	LA/ER DTECHNOLOGY					
ç 9.99929	969569999365555	N90886		335497V	5.5	



	MOBILITY
Kustom Si	SELF-ACCURACY TEST ignals Pro-Lite+ Lidar Speed Measurement Tool
DATE:	April 18, 2024
Start of shift	"Self-Diagnostic test" time:9:06 AM
Start of shift	Distance check:100'lidar
End of shift "	Self-Diagnostic test" time: 10:32 AM
End of shift I	Distance check:100'
City and Stat	e:Kirkland, WA
Lidar Serial I	Number:LP05509
Certification	Date:October 27 th , 2023
OPERATOR	:Charles Goodrich
I, <i>Charles G</i> speed meass accordance v diagnostic ch	oodrich, certify that the Kustom Signals Pro-Lite+ Lidar urement device was setup, tested, and operated in with the manufactures specifications to include its self- eck.
Further, I c accurate.	ertified that the self-check distance was completed and
Signature:	and her
Date: April	18, 2024





Date			4/18/2024			
Time			9:46 AM			
Site ID		a they are the the	KRKF001			
Location			Kirkland, WA			
			NB 132ND AVE N	NE @ MUIR E	LEMENTARY/KAMIAKIN	
Address			MIDDLE			
Posted Spee	d Limit			20MP	Н	
Trigger Speed Limit				26MP	Н	
Speed Type				Schoo	bl	
Lidar Technician			Charles Goodrich			
AutoPatrol Technician			Catherine Thompson			
Lidar Serial N	Lidar Serial Number			LP05509		
Radar Serial	Number		590-112/61693			
Detection Ty	pe		Autopatrol-Radar			
Measure Mod	le Capture		Yes			
Photo enforce	ement signs	s present	Yes			
Pass/ Fail			Pass			
Ascending o	r Descendin	g	Descending			
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1	09.46.50	20	21	1		
1	09.48.04	27	28	1		
1	09.48.10	31	31	0		
1	09.48.13	30	30	0		
1	09.49.09	26	26	0		





Date			4/18/2024		
Time			9:49 AM		
Site ID			KRKF002		
Location				Kirkland	, WA
			SB 132ND AVE N	IE @ MUIR E	LEMENTARY/KAMIAKIN
Address			MIDDLE		
Posted Spee	d Limit			20MP	Н
Trigger Spee	d Limit			26MP	Н
Speed Type				Schoo	ol
Lidar Techni	Lidar Technician			Charles Go	odrich
AutoPatrol Technician			Catherine Thompson		
Lidar Serial N	lumber		LP05509		
Radar Serial	Number		590-113/61513		
Detection Ty	ре		Autopatrol-Radar		
Measure Mod	le Capture		Yes		
Photo enforcement signs present				Yes	
Pass/ Fail			Pass		
Ascending o	r Descendin	g	Descending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments
1	09.49.28	27	28	1	
1	09.50.16	25	24	-1	
1	09.50.21	25	24	-1	
1	09.50.34	25	26	1	
1	09.50.44	1 09.50.44 31			





Date			4/18/2024			
Time	.		9:26 AM			
Site ID			KRKF003			
Location				Kirkland,	WA	
Address			EB 80TH S	T @ ROSE H	ILL ELEMENTARY	
Posted Spee	d Limit			20MPI	4	
Trigger Spee	d Limit			26MPI	4	
Speed Type				Schoo	bl	
Lidar Technie	cian			Charles Go	odrich	
AutoPatrol Technician			Catherine Thompson			
Lidar Serial N	Lidar Serial Number			LP05509		
Radar Serial	Number		590-113/64176			
Detection Ty	pe		Autopatrol-Radar			
Measure Mod	le Capture		Yes			
Photo enforc	ement signs	s present		Yes		
Pass/ Fail			Pass			
Ascending o	r Descendin	g		Descend	ling	
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1	09.26.40	16	17	1		
1	09.27.01	19	18	-1		
1	09.27.17	20	20	0		
1	09.27.48	16	15	-1		
1 09.28.52 15			14 -1			





Date			4/18/2024			
Time			9:30 AM			
Site ID			KRKF004			
Location	1.25			Kirkland,	WA	
Address			WB 80TH S	T @ ROSE H	ILL ELEMENTARY	
Posted Spee	d Limit			20MPH	4	
Trigger Spee	d Limit			26MPH	4	
Speed Type				Schoo	bl	
Lidar Technic	Lidar Technician			Charles Go	odrich	
AutoPatrol Technician			Catherine Thompson			
Lidar Serial N	lumber		LP05509			
Radar Serial	Number		590-112/62298			
Detection Ty	ре		Autopatrol-Radar			
Measure Mode Capture				Yes		
Photo enforcement signs present				Yes		
Pass/ Fail				Pass		
Ascending of	r Descendin	g		Descend	ling	
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1	09.30.39	18	17	-1		
· 1	09.30.54	20	20	0		
1	09.32.10	17	17	0		
1	09.34.22	23	22	-1		
1	09.34.38	18	19	1		





Date			4/18/2024				
Time			9:17 AM				
Site ID			KRKF005				
Location				Kirkla	nd, WA		
Address			SB 724 STATE	ST @ LAKEV	IEW ELEMENTARY SCHOOL		
Posted Spee	d Limit			201	ИРН		
Trigger Spee	d Limit		26MPH				
Speed Type			School				
Lidar Techni	cian		Charles Goodrich				
AutoPatrol T	echnician			Catherine	Thompson		
Lidar Serial Number			LP05509				
Radar Serial	Number		590-113/68392				
Detection Ty	pe		Autopatrol-Radar				
Measure Mode Capture				Y	es		
Photo enforcement signs present				Y	es		
Pass/ Fail				Pa	ass		
Ascending o	r Descendin	g		Desc	ending		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments		
1	09.17.13	22	22	0			
1	09.17.14	22	23	1			
1	09.17.24	37	37	0			
1	09.17.39	20	20	0			
1.1	09.17.42	18	18 0				





Date			4/18/2024			
Time			9:11 AM			
Site ID				KRKF0	06	
Location			Kirkland, WA			
			WB 10600 NE 68TH ST @ LAKEVIEW ELEMENTARY			
Address				SCHOO	ν <u>μ</u>	
Posted Spee	d Limit		20MPH			
Trigger Spee	d Limit		26MPH			
Speed Type	Туре			Schoo	bl	
Lidar Technician			Charles Goodrich			
AutoPatrol Technician			Catherine Thompson			
Lidar Serial Number			LP05509			
Radar Serial	Number		590-113/68391			
Detection Type				Autopatrol-	Radar	
Measure Mode Capture				Yes		
Photo enforcement signs present				Yes		
Pass/ Fail				Pass		
Ascending o	r Descendin	g		Descend	ling	
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1	09.11.32	9	10	1		
1	09.12.37	18	17	-1		
1	09.12.45	17	18	1		
1	09.12.49	17	17	0		
1	09.12.53	13	14	1		





Date			4/18/2024				
Time				10:23 A	M		
Site ID				KRKF0	07		
Location				Kirkland,	WA		
Address			NB 12637 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES				
Posted Spee	d Limit		20MPH				
Trigger Spee	d Limit			26MPI	4		
Speed Type				Schoo	bl		
Lidar Technician			Charles Goodrich				
AutoPatrol Technician			Catherine Thompson				
Lidar Serial Number			LP05509				
Radar Serial Number			590-113/68421				
Detection Type				Autopatrol-	Radar		
Measure Mode Capture				Yes			
Photo enforcement signs present				Yes			
Pass/ Fail				Pass			
Ascending o	r Descendin	g		Descend	ling		
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments		
1	10.23.45	31	30	-1			
1	10.24.09	24	24	0			
1	10.25.01	23	23	0			
1	10.27.48	25	26	1			
1	10.27.56	25	25	0			





and the second se		and the second se	the second s	of the second seco		
Date				4/18/20	24	
Time				10:18	AM	
Site ID				KRKFC	008	
Location				Kirkland	,WA	
Address			SB 14006 84TH AVE NE @ SANDBURG ES / FINN HILL MS / THOREAU ES			
Posted Spee	d Limit		20MPH			
Trigger Spee	d Limit		26MPH			
Speed Type				Schoo	ol	
Lidar Techni	cian		Charles Goodrich			
AutoPatrol Technician			Catherine Thompson			
Lidar Serial Number			LP05509			
Radar Serial Number				590-113/6	8429	
Detection Type				Autopatrol	-Radar	
Measure Mode Capture				Yes		
Photo enforcement signs present				Yes		
Pass/ Fail				Pass		
Ascending or Descending				Descend	ding	
City Lane	Times	Lidar Speeds	AP Speeds	Delta	Comments	
1.6	10.18.11	34	34	0		
1	10.19.13	18	18	0		
1	10.19.33	30	30	0		
1	10.19.43	34	34	0		
1	10.19.49	33	32	-1		



Report No.: 191

1910-071EA-264

Revision:

N/C

Radar Sensor Calibration Verification Certificate of Calibration

Model: RRS24F-ST3

FILED

MAY 17 2024

Part Number / Serial Number: 590-112/62298 Ex. 590-XXX / 6XXXX KIRKLAND MUNICIPAL COURT

Description: Radar Characteristics Validation In compliance with: RRS24F-ST3 Radar Sensor Calibration Verification Procedure Documentation (5030-0150)

Date of Issue: October 27, 2023

Owner of EUT:

Verra Mobility 1150 N. Alma School Rd Mesa, AZ 85201

Attention of:

Engineering Department Phone: (480) 443-7000

Test Facility			
Test Laboratory	Keystone Compliance, LLC		
Address	131 North Columbus Innerbelt		
City, State, Zip Code	New Castle, PA 16101		
Phone	(724) 657-9940		
Email	emcteam@keystonecompliance.com		
Web Site	www.keystonecompliance.com		

	Test Personnel	
Name	Camren Morgan	
Title	EMC Test Engineer	
Signature	Erren drugen	

CONTROLLED DATA Properietary and Confidential Page 15



Report No.: 1910-071EA-264

Revision: N/C

Radar Sensor Calibration Verification Certificate of Calibration

Model: RRS24F-ST3

Part Number / Serial Number: 590-112/62298 Ex. 590-XXX / 6XXXX

Date of Issue: October 27, 2023

The frequency measurements performed and recorded within this report demonstrate that the JENOPTIK RR24F-ST3 radar has an accuracy of less than or equal to 0.62 mph in the range of 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph, as specified by the manufacturer.

FSK Frequency Set 1							
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results		
$f_0 = 24.08$	24.0786	14.7688307	-1,40	+/-48.2	PASS		
$f_1 = 24.08725$	24 086075	15.3044434	-1.17	+/- 48.2	PASS		
f ₂ = 24.089	24.087699	16.7010774	-1.30	+/- 48.2	PASS		
$f_3 = 24.09$	24.088674	16.869438	-1.33	+/- 48.2	PASS		

FSK Frequency Set 2							
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results		
$f_0 = 24.12$	24.118575	16.0092451	-1.43	+/- 48.2	PASS		
f ₁ = 24.12725	24.12605	16.1528545	-1.20	+/- 48.2	PASS		
$f_2 = 24.129$	24.127676	17.0054895	-1.32	+/- 48.2	PASS		
$f_3 = 24.13$	24.128651	17.3908444	-1.35	+/- 48.2	PASS		

FSK Frequency Set 3							
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results		
$f_0 = 24.16$	24.158226	15.9566366	-1.77	+/- 48.2	PASS		
$f_1 = 24.16725$	24.165376	16.4512467	-1.87	+/- 48.2	PASS		
$f_2 = 24.169$	24.167326	17.8958766	1.67	+/- 48.2	PASS		
$f_3 = 24.17$	24 168301	18.022235	-1.70	+/-48.2	, PASS		

CONTROLLED DATA Properietary and Confidential Page 16



Report No.: 1910-071EA-264

Revision:

N/C

FILED

MAY 17 2024

MUNICIPAL COURT

Radar Sensor Calibration Verification Certificate of Calibration

Model: RRS24F-ST3

Part Number / Serial Number: 590-113/64176 Ex. 590-XXX / 6XXXX

Description: Radar Characteristics Validation In compliance with: RRS24F-ST3 Radar Sensor Calibration Verification Procedure Documentation (5030-0150)

Date of Issue: October 27, 2023

Owner of EUT:

Verra Mobility 1150 N. Alma School Rd Mesa, AZ 85201

Attention of:

Engineering Department Phone: (480) 443-7000

Test Facility			
Test Laboratory	Keystone Compliance, LLC		
Address	131 North Columbus Innerbelt		
City, State, Zip Code	New Castle, PA 16101		
Phone	(724) 657-9940		
Email	emcteam@keystonecompliance.com		
Web Site	www.keystonecompliance.com		

	Test Personnel					
Name	Camren Morgan					
Title	EMC Test Engineer					
Signature	enn my					

CONTROLLED DATA Properietary and Confidential Page 15



Report No.: 1910-071EA-264

Revision: N/C

Radar Sensor Calibration Verification Certificate of Calibration

Model: RRS24F-ST3

Part Number / Serial Number: 590-113/64176 Ex. 590-XXX / 6XXXX

Date of Issue: October 27, 2023

The frequency measurements performed and recorded within this report demonstrate that the JENOPTIK RR24F-ST3 radar has an accuracy of less than or equal to 0.62 mph in the range of 6.21 mph to 62.14 mph and an accuracy of 0.62 mph to 1.86 mph in the range of 62.14 mph to 186.41 mph. This is equal to or better than +/- 1 mph accuracy up to 100 mph, as specified by the manufacturer.

FSK Frequency Set 1							
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results		
$f_0 = 24.08$	24.078275	14.8378317	-1.72	+/-48.2	PASS		
$f_1 = 24.08725$	24.085424	15.3824464	-1.83	+/- 48.2	PASS		
$f_2 = 24.089$	24.087376	16.7030764	-1.62	+/- 48.2	PASS		
$f_1 = 24.09$	24.088351	17.025436	-1.65	+/- 48.2	PASS		

FSK Frequency Set 2							
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results		
$f_0 = 24.12$	24.118249	16.3502491	-1.75	+/- 48.2	PASS		
$f_1 = 24.12725$	24 125401	16.2918545	-1.85	+/- 48.2	PASS		
$f_2 = 24.129$	24.127351	17.3684885	-1.65	+/-48.2	PASS		
$f_3 = 24.13$	24.128326	17.5768484	-1.67	+/- 48.2	PASS		

	FSK Frequency Set 3							
Nominal Frequency (GHz)	Measured Frequency (GHz)	Amplitude (dBm)	Frequency Deviation (MHz)	Limit (MHz)	Results			
$f_0 = 24.16$	24.15855	15.6136416	-1.45	+/- 48.2	PASS			
f ₁ = 24.16725	24 165702	16.0372457	-1.55	+/- 48.2	PASS			
f ₂ = 24.169	24.167651	17.1848706	-1.35	+/- 48.2	PASS			
f ₁ = 24.17	24 168626	17.442233	-1.37	+/- 48.2	PASS			

CONTROLLED DATA Properietary and Confidential Page 16



447 N	KIRKLAND MUNICIPAL COURT			
V A VERRA MOBILITY	PREVENTIVE MAINTENANCE CHECKLIST			
Date & Time: 04/21/2024 15:17:00 Site ID: KRKF003 Location: EB 80TH ST @ ROSE HILL ELEMENTARY				
Product: AutoPatrol Technician Name:	me: Thomas Yuen See Associated Ticket:			
Item	Status	Note/Action (If Status N/A, please specify)		
1. Clean dirt, grime, and graffiti off enclosure and glass.				
1.1. Clean Graffiti. Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.	N/A			
1.2. Clean Glass: Clean and inspect all glass and enclosures.	Pass			
1.3. Clean Enclosure (Interior): Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.	N/A			
1.4. Check Enclosure: If enclosure moved during cleaning, tighten base.	N/A			
2. Perform a general site inspection to include environmental and road conditions.				
2.1. PLP/Loop Loop: Check for exposed or cut loop wiring, and epoxy wear and tear.				
2.2. Power & Grounding: Inspect all power and grounding connections.	N/A			
2.3. Radar: Inspect radar and cables. Visually inspect antenna.	N/A			
2.4. WVDs: Check for popped out pucks, visible cracks, or other noticeable damage.				
3. Inspect poles, bases, and enclosures.				

3.1. Pole:	N/A	
3.2. Base: Check for arreste. Ensure helte (and lateb helt) are tight and against inside here.	N/A	
3.3. Enclosure:	N/A	
Confirm straps are tight and secure against pole. Tighten if loose. 4. Inspect cables and connections.		
4.1. Cables: Check all cables for visible wear or damage.	N/A	
4.2. Connections: Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.	N/A	



5.2. Pole:



5.3. Photo Enforcement Sign(s):





LAT VEDDA		MUNICIPAL COURT		
MOBILITY PREV	PREVENTIVE MAINTENANCE CHECKLIST			
Date & Time: 04/21/2024 15:19:00 Site ID: KRKF004 Location	Location: WB 80TH ST @ ROSE HILL ELEMENTARY			
Item	Status Note/Action	If Status N/A, please specify)		
1. Clean dirt, grime, and graffiti off enclosure and glass.				
1.1. Clean Graffiti.	N/A			
Check physical integrity. Check paint/housing for graffiti and (or) other vandalism.				
1.2. Clean Glass:	Pass			
Clean and inspect all glass and enclosures.				
1.3. Clean Enclosure (Interior):	N/A			
Clear vents/fans of obstruction. Remove dust and dirt by vacuum/wiping.				
1.4. Check Enclosure:	N/A			
If enclosure moved during cleaning, tighten base.				
2. Perform a general site inspection to include environmental and road conditions.				
2.1. PLP/Loop Loop:				
Check for exposed or cut loop wiring, and epoxy wear and tear.				
2.2. Power & Grounding:	N/A			
Inspect all power and grounding connections.				
2.3. Radar:	N/A			
Inspect radar and cables. Visually inspect antenna.				
2.4. WVDs:				
Check for popped out pucks, visible cracks, or other noticeable damage.				
3. Inspect poles, bases, and enclosures.				

3.1. Pole: Check sturdiness. Check hurricane collar and confirm screws are tight.	N/A	
3.2. Base: Check for cracks. Ensure bolts (and latch bolt) are tight and secure inside base.	N/A	
3.3. Enclosure: Confirm straps are tight and secure against pole. Tighten if loose.	N/A	
4. Inspect cables and connections.		
4.1. Cables: Check all cables for visible wear or damage.	N/A	
4.2. Connections: Check for exposed wires on pole connecting to radar, camera enclosure, and strobe.	N/A	



5.1. Enclosure:



5.2. Pole:



5.3. Photo Enforcement Sign(s):

